

# Yale VS III

Hand chain hoist



# Yale VS III

The Yale hand chain hoist model VSIII combines all the features, expected by the user:

- Quality, Safety and Performance - at a favourable price.

Extremely low overall height allows optimal use of available headroom. Fully enclosed stamped steel housing allows also outdoor use. The hooks are equipped with robust safety latches and can rotate 360°.

Having long years of experience with this solid product, we decided to extend the VSIII series by the load capacities 10t, 20t, 30t and 50t. Hereby we attach great importance to quality and safety, in combination with a balanced price/performance ratio.

## CAPACITY 250 - 5000 kg

---

### FINISH DETAILS

- Strong bolts between side plates and housing cover and the reinforced hand wheel cover ensure increased stability.
- Precision machined guide rollers ensure smooth running of the load chain.
- High quality bearings for gearbox, side plates and load chain sheave permit a long service life.
- Zinc-plated and yellow-chromated brake parts and guide rollers ensure increased corrosion protection.
- Zinc-plated load chain as standard for added corrosion protection.

### OPTIONAL

- Overload protection device (from 500 kg available)
- Chain container




## Technical data model VSIII


Model	EAN-No. 4025092*	Capacity in kg/ number of chain falls	Chain dimensions d x p mm	Lift per 1 m hand chain overhaul mm	Handle pull at WLL daN	Weight at standard lift (3 m) kg
VSIII 0,25/1	*665322	250/1	4x12	50	20	3.9
VSIII 0,5/1	*949545	500/1	5x15	26	21	9.0
VSIII 1,0/1	*949927	1000/1	6x18	24	24	11.5
VSIII 1,5/1	*593854	1500/1	8x24	17	30	17.5
VSIII 2,0/1	*949934	2000/1	8x24	19	32	19.0
VSIII 2,0/2	*949941	2000/2	6x18	15	29	17.3
VSIII 3,0/1	*949958	3000/1	10x30	12	40	31.0
VSIII 3,0/2	*949965	3000/2	8x24	10	37	27.0
VSIII 5,0/2	*949972	5000/2	10x30	8	41	43.0

## Dimensions model VSIII

Model	VSIII 0,25/1	VSIII 0,5/1	VSIII 1,0/1	VSIII 1,5/1	VSIII 2,0/1	VSIII 2,0/2	VSIII 3,0/1	VSIII 3,0/2	VSIII 5,0/2
A min., mm	290	350	380	450	460	490	570	580	700
B, mm	12	21	27	33	37	37	46	46	56
C, mm	26	28	32	37	41	41	44	44	50
D, mm	11	16	19	22	27	27	31	31	37
E, mm	118	145	158	180	205	170	240	220	250
F, mm	113	140	155	175	180	155	210	175	190
G, mm	65	80	87	85	94	87	110	94	95
H, mm	48	60	68	90	86	68	100	81	95
K, mm	190	240	270	300	320	285	370	340	410



Model VSIII, 250 - 3000 kg, single fall



Model VSIII, 2000 - 5000 kg, double fall



Load chain sheave with  
needle bearing



Side plate with ball bearing



Housing cover with ball bearing



Option: Chain container

# Yale VS III

In order to serve all industries (even the paper- or the ship industry), the VS III lifts the loads very sensitively, as the components and construction parts have been positioned very precisely.


**CAPACITY 10000 - 50000 kg**

## INFO

To avoid bruising or injuries, the chain inlet as well as the top hook connection is covered in protective material.

## INFO

The hand chain hoist VS III from 10000 kg upwards can be used in combination with trolleys.



Model VS III, 50000 kg, eighteen chain falls




## Technical data model VSIII

Model	EAN-No 4025092* 4053981**	Capacity in kg/ number of chain falls	Chain dimensions d x p mm	Lift per 1 m hand chain overhaul mm	Handle pull at WLL daN	Weight at standard lift (3 m) kg
VSIII 10/4	**981574	10000/4	10x30	2.84	37	78.5
VSIII 20/8	**981581	20000/8	10x30	1.42	44.5	197
VSIII 30/12	**981598	30000/12	10x30	0.83	46.3	268
VSIII 50/18	**981604	50000/18	10x30	0.56	53.6	540


## Dimensions model VSIII

Model	VSIII 10/4	VSIII 20/8	VSIII 30/12	VSIII 50/18
A min., mm	860	950	1112	1700
B, mm	63	90	90	165
C, mm	65	86	85	135
D, mm	47	69	67	108
E, mm	463	860	704	776
F, mm	104	200	410	627
G, mm	55	100	225	314
H, mm	50	100	186	314
K, mm	448	508	528	656




Model VSIII, 10000 kg, four chain falls

SERIES EXTENSION  
**NOW WITH HIGH SWL!**  
**10000 - 50000 kg** *new!*



Model VSIII, 30000 kg, twelve chain falls



Model VSIII, 20000 kg, eight chain falls